GOVERNMENT OF ANDHRA PRADESH

ABSTRACT

Public Services – Water Resources Department – Allegations of substandard quality in execution of RCC retaining wall in between Oduru Canal & Drain canal in Oduru Village, Ramachnadrapuram Mandal, Erstwhile East Godavari District - Disciplinary action in common proceedings against Sri Appala Naidu Peela, the then Executive Engineer, Godavari Eastern division, Dowlaiswaram and (5) others under Rule 24 of the A.P. Civil Services (CC&A) Rules, 1991 – Orders – Issued

---

WATER RESOURCES (VIGILANCE-I) DEPARTMENT

G.O.RT.No. 640 Dated: 08-12-2025

Read:-

From the DG, V&E Dept., Vigilance Report no.39(803 /V&E/ Engg ./2017) Dt.13.09.2023.

****

ORDER:

Whereas, the Government Servants specified below are jointly concerned in a disciplinary case regarding Allegations of substandard quality in execution of RCC retaining wall in between Oduru Canal & Drain canal in Oduru Village, Ramachnadrapuram Mandal, Erstwhile East Godavari District:-

i. Sri Appala Naidu Peela, the then Executive Engineer, Godavari Eastern division, Dowlaiswaram, East Godavari District.
ii. Sri Jangam Suresh Babu, the then Deputy Executive Engineer, W.R.Subdivision, Ramachadrapuram, East Godavari District.
iii. Sri Praveen Yadav Gompa the then Asst. Executive Engineer (AC)M WR Section, Jagannadhagiri, Ramachandrapuram, East Godavari District.
iv. Sri Mohan V.V.Satyanarayana Mattaparti, the then Dy. Executive Engineer, QC Sub-division, Kakinada, East Godavari District
v. Sri Srinivas Turangi, the then Dy.Executive Engineer, QC Sub-division, Kakinada East Godavari District.
vi. Sri Appala Raja Reddy Bollinkala, AEE, QC Section No.1,Kakinada, East Godavari District.

2. Now, therefore, in exercise of the powers conferred by sub-rules (1) and (2) of Rule-24 of the Andhra Pradesh Civil Services (Classification, Control & Appeal) Rules, 1991, the disciplinary authority i.e., Government hereby direct:-

(PTO)

(i) that disciplinary action against all the said Government Servants shall be taken in the common proceedings;

(ii) that Government shall function as the disciplinary authority for the purpose of the common proceedings and shall be competent to impose any penalty;

and

(iii) that the procedure prescribed in Rules 20 & 21 of the Andhra Pradesh Civil Services (Classification, Control & Appeal) Rules, 1991 shall be followed in the said Proceedings.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

G SAI PRASAD
SPECIAL CHIEF SECRETARY TO GOVERNMENT

To
The individuals concerned through the Engineer in Chief(Admn.,) Water Resources Department, Vijayawada/ Engineer-in-Chief, TR&B Dept., Vijayawada.
The Engineer in Chief, Engineer in Chief(Admn.,) Water Resources Department, Vijayawada.
SF/SC.

//FORWARDED::BY::ORDER//

SECTION OFFICER